

Industrial solutions. Every component matters.

BECCENTRIC PRODUCT RANGE DIRECTORY

278 product ranges across 11 categories, with size and specification choices available on the website.

How to use this catalogue

Find your product family, note its name or reference and send Beccentric your dimensions, quantity and application. Every product page on our website includes a separate PDF with technical details and selection inputs.

Conveyor Belts & Components	147 product ranges
Stainless Steel & Hygienic Fittings	78 product ranges
Bearings & Power Transmission	7 product ranges
Motors, Gearboxes & Drives	2 product ranges
Valves, Actuation & Steam	18 product ranges
Pumps, Seals & Fluid Handling	1 product ranges
Sensors & Industrial Electrical	3 product ranges
Pneumatics & Compressed Air	1 product ranges
Fasteners & Maintenance Supplies	12 product ranges
Specialist Machine & OEM Spares	4 product ranges
Thermal Insulation & Refractory Materials	5 product ranges

WhatsApp Mary: +263 780 864 277

WhatsApp Tino: +263 779 098 357

Sales director Mathias: +263 780 671 524

Email: sales@beccentric.net

Catalogue options are enquiries, not stock promises. Final specification and lead time are confirmed in your quotation.

Conveyor Belts & Components

Product ranges 1-4 of 147



0800 Flat Top Modular Belt

An 8 mm pitch, straight-running modular belt supplied assembled to width. Confirm the required width, length and operating conditions with our team.

Series: 0800 | Pitch: 8.0 mm

[Choose size and view product details](#)




Modular Conveyor Belts

Straight-running and side-flexing belt ranges for conveying applications. Match the series, pitch, surface and material to your existing conveyor.

Selection: Confirm exact series and application | Surface: Specify flat top, flush grid or other

[Choose size and view product details](#)



Slatband Conveyor Chains

Plastic and stainless steel slat chains for product handling and conveying. Supply the complete chain reference where available.

Configuration: Straight-running or side-flexing | Ordering details: Chain code, width, length and material

[Choose size and view product details](#)



1500 Modular Belt Drive & Idler Sprockets

Match the sprocket or idler to your belt or chain series, shaft and conveyor configuration.

Matching belt: 1500 series | Teeth: 12 / 16 / 18 / 20 / 24 / 26 / 32

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 5-8 of 147




Wear Strips & Conveyor Guides

Wear strips, guide profiles, support brackets and related conveyor replacement components.

Profile: Confirm dimensions or drawing | Material: Specify application and existing material

[Choose size and view product details](#)




Side-flexing Modular Belts

Modular belting for conveyors that travel around curves. Select the series around the conveyor geometry, belt width, sprockets and product-handling requirements.

Reference series: IRP 1270; 12.7 mm pitch | Conveyor geometry: Inside radius, belt width and travel direction

[Choose size and view product details](#)



Flush-grid Modular Belts

Open-surface modular belts for conveying duties where product support, drainage or air circulation are part of the requirement. Match the belt to the product and conveyor geometry.

Reference series: IRP 1500; 15 mm pitch | Selection: Belt width, material and open area to suit duty

[Choose size and view product details](#)



Conveyor Return Rollers

Return rollers and support components for conveyor belts and chains. Match roller diameter, width and shaft interface to the installation.

Roller: Outside diameter, width and bore | Installation: Shaft size and mounting arrangement

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 9-12 of 147



820 Chain Drive & Idler Sprockets

Split sprockets matched to 820-series slatband conveyor chains. Specify whether the component drives the chain or supports its return path.

Matching chain: 820 series | Construction: Split moulded

[Choose size and view product details](#)



Conveyor Chain Idler Wheels

Solid and split idler wheels for the non-driven end of a conveyor. Match the chain series, shaft and wheel diameter before ordering.

Reference chain series: 812 / 815 / 820 / 828 / 881M / 881MO | Construction: Solid or split

[Choose size and view product details](#)




1000 / 1001 Modular Belt Sprockets

Drive and idler sprockets for matching 1000- and 1001-series modular belts. Check the existing belt and shaft interface when selecting a replacement.

Matching series: 1000 / 1001 | Tooth-count reference: 16 / 18 / 20

[Choose size and view product details](#)



Rubbertop Modular Conveyor Belts


Flat-top modular belts with grip inserts for applications that need additional contact with the conveyed product. Specify the grip pattern and conveyor duty.

Reference series: 2250 straight-running, assembled to width | Belt construction: Acetal base with rubber grip inserts

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 13-16 of 147




Modular Belts with Flights & Cleats

Conveyor belting with raised flights to support product movement. Define the flight height and spacing together with belt width and operating conditions.

Reference series: 5080; 50.8 mm pitch | Assembly: Assembled to required width

[Choose size and view product details](#)




Raised-rib & Railtrack Modular Belts

Narrow raised-rib belt designs for matched transfer and conveying systems. Confirm the guide and transfer arrangement against the existing installation.

Reference series: 1000; 25.4 mm pitch | Width reference: 38 / 48 / 58 mm

[Choose size and view product details](#)



Magnetic Side-flexing Flat-top Belts

Flat-top belting designed to work with matching magnetic conveyor tracks. Specify the complete track and belt arrangement for a replacement enquiry.

Reference series: 1040 FTM | Reference width: 83.8 mm

[Choose size and view product details](#)



820 Plastic Slatband Conveyor Chains


Straight-running, single-hinge plastic slat chains for product handling. Match chain width and the existing sprocket series as part of your enquiry.

Reference series: 820 | Construction: Straight-running, single hinge

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 17-20 of 147



Conveyor Side-guide Clamps

Clamps and rods for supporting mushroom-profile side guides. Provide the guide profile and mounting dimensions so the assembly can be matched.

Reference: J00001 single-clamp arrangement | Components: Reinforced-polyamide clamp and stainless rod

[Choose size and view product details](#)




Adjustable Conveyor Guide Brackets

Support brackets for conveyor side-guide arrangements. Choose the adjustment requirement and provide dimensions for the existing mounting.

Reference: K00001 small bracket | Adjustment: Optional hand-grip arrangement

[Choose size and view product details](#)




MW10 Pinless Modular Conveyor Belt

Pinless solid top belt for conveyor replacement and new application enquiries. Match the 10 mm pitch, material and sprockets; similar series names do not guarantee interchangeability.

Series: MW10 | Pitch: 10 mm

[Choose size and view product details](#)



MW12 Flush Grid Modular Conveyor Belt

Flush grid belt for conveyor replacement and new application enquiries. Match the 12 mm pitch, material and sprockets; similar series names do not guarantee interchangeability.

Series: MW12 | Pitch: 12 mm

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 21-24 of 147




MW25 Solid Top Modular Conveyor Belt

Solid top belt for conveyor replacement and new application enquiries. Match the 25 mm pitch, material and sprockets; similar series names do not guarantee interchangeability.

Series: MW25 | Pitch: 25 mm

[Choose size and view product details](#)



MW25 Vented Top Modular Conveyor Belt

Vented top belt for conveyor replacement and new application enquiries. Match the 25 mm pitch, material and sprockets; similar series names do not guarantee interchangeability.

Series: MW25 | Pitch: 25 mm

[Choose size and view product details](#)



MW25 Flush Grid Modular Conveyor Belt

Flush grid belt for conveyor replacement and new application enquiries. Match the 25 mm pitch, material and sprockets; similar series names do not guarantee interchangeability.

Series: MW25 | Pitch: 25 mm

[Choose size and view product details](#)



MW25 Raised Rib Modular Conveyor Belt


Raised rib belt for conveyor replacement and new application enquiries. Match the 25 mm pitch, material and sprockets; similar series names do not guarantee interchangeability.

Series: MW25 | Pitch: 25 mm

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 25-28 of 147




MW25 Spike Top Modular Conveyor Belt

Spike top belt for conveyor replacement and new application enquiries. Match the 25 mm pitch, material and sprockets; similar series names do not guarantee interchangeability.

Series: MW25 | Pitch: 25 mm

[Choose size and view product details](#)




MW25 Heavy Duty Solid Top Modular Belt

Heavy-duty solid top belt for conveyor replacement and new application enquiries. Match the 25 mm pitch, material and sprockets; similar series names do not guarantee interchangeability.

Series: MW25 | Pitch: 25 mm

[Choose size and view product details](#)



MW25 Radius Light Conveyor Belt

Side-flexing radius belt for conveyor replacement and new application enquiries. Match the 25 mm pitch, material and sprockets; similar series names do not guarantee interchangeability.

Series: MW25 | Pitch: 25 mm

[Choose size and view product details](#)



MW25 Radius Premium Conveyor Belt


Side-flexing radius belt for conveyor replacement and new application enquiries. Match the 25 mm pitch, material and sprockets; similar series names do not guarantee interchangeability.

Series: MW25 | Pitch: 25 mm

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 29-32 of 147



MW40 Radius Conveyor Belt

Side-flexing radius belt for conveyor replacement and new application enquiries. Match the 38.1 mm pitch, material and sprockets; similar series names do not guarantee interchangeability.

Series: MW40 | Pitch: 38.1 mm

[Choose size and view product details](#)




MW50 Fluid Flow Modular Conveyor Belt

Open-grid fluid flow belt for conveyor replacement and new application enquiries. Match the 50 mm pitch, material and sprockets; similar series names do not guarantee interchangeability.

Series: MW50 | Pitch: 50 mm

[Choose size and view product details](#)



MW50 Solid Top Modular Conveyor Belt

Solid top belt for conveyor replacement and new application enquiries. Match the 50 mm pitch, material and sprockets; similar series names do not guarantee interchangeability.

Series: MW50 | Pitch: 50 mm

[Choose size and view product details](#)



White 1-Ply PU Conveyor Belt


Fabric-reinforced conveyor belting with a specified surface and underside. Include belt travel, cleaning conditions and splice requirements; request food-contact documentation for the exact supplied belt.

Reference: CB-1P-PU-W | Belt thickness: 0.9 mm

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 33-36 of 147



Blue 2-Ply PU Conveyor Belt

Fabric-reinforced conveyor belting with a specified surface and underside. Include belt travel, cleaning conditions and splice requirements; request food-contact documentation for the exact supplied belt.

Reference: CB-2P-PU-B | Belt thickness: 1.6 mm

[Choose size and view product details](#)



White 3-Ply PVC Conveyor Belt

Fabric-reinforced conveyor belting with a specified surface and underside. Include belt travel, cleaning conditions and splice requirements; request food-contact documentation for the exact supplied belt.

Reference: CB-3P-PVC-W | Belt thickness: 3.5 mm

[Choose size and view product details](#)




Blue 2-Ply Diamond-Profile PVC Conveyor Belt

Fabric-reinforced conveyor belting with a specified surface and underside. Include belt travel, cleaning conditions and splice requirements; request food-contact documentation for the exact supplied belt.

Reference: CB-2P-DB-PVC-B | Belt thickness: 3.1 mm

[Choose size and view product details](#)



Monolithic PU Conveyor Belts

Conveyor belt sourcing by application, belt construction and dimensions. Send a belt sample reference or photographs and the required operating conditions.

Range: Monolithic PU Conveyor Belts | Dimensions: Width, length, thickness and joint to specification

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 37-40 of 147



Magnetic Food Processing Conveyor Belts

Conveyor belt sourcing by application, belt construction and dimensions. Send a belt sample reference or photographs and the required operating conditions.

Range: Magnetic Food Processing Conveyor Belts | Dimensions: Width, length, thickness and joint to specification

[Choose size and view product details](#)



Positive Drive Food Conveyor Belts

Conveyor belt sourcing by application, belt construction and dimensions. Send a belt sample reference or photographs and the required operating conditions.

Range: Positive Drive Food Conveyor Belts | Dimensions: Width, length, thickness and joint to specification

[Choose size and view product details](#)




Hygienic Positive Drive Conveyor Belts

Conveyor belt sourcing by application, belt construction and dimensions. Send a belt sample reference or photographs and the required operating conditions.

Range: Hygienic Positive Drive Conveyor Belts | Dimensions: Width, length, thickness and joint to specification

[Choose size and view product details](#)



Reinforced Hygienic Conveyor Belts


Conveyor belt sourcing by application, belt construction and dimensions. Send a belt sample reference or photographs and the required operating conditions.

Range: Reinforced Hygienic Conveyor Belts | Dimensions: Width, length, thickness and joint to specification

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 41-44 of 147



Mafdel Positive Drive Conveyor Belts

Conveyor belt sourcing by application, belt construction and dimensions. Send a belt sample reference or photographs and the required operating conditions.

Range: Mafdel Positive Drive Conveyor Belts | Dimensions: Width, length, thickness and joint to specification

[Choose size and view product details](#)




White PVC Conveyor Belts

Conveyor belt sourcing by application, belt construction and dimensions. Send a belt sample reference or photographs and the required operating conditions.

Range: White PVC Conveyor Belts | Dimensions: Width, length, thickness and joint to specification

[Choose size and view product details](#)



Green PVC Conveyor Belts

Conveyor belt sourcing by application, belt construction and dimensions. Send a belt sample reference or photographs and the required operating conditions.

Range: Green PVC Conveyor Belts | Dimensions: Width, length, thickness and joint to specification

[Choose size and view product details](#)



Diamond Top PVC Conveyor Belts

Conveyor belt sourcing by application, belt construction and dimensions. Send a belt sample reference or photographs and the required operating conditions.

Range: Diamond Top PVC Conveyor Belts | Dimensions: Width, length, thickness and joint to specification

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 45-48 of 147



Sawtooth PVC Conveyor Belts

Conveyor belt sourcing by application, belt construction and dimensions. Send a belt sample reference or photographs and the required operating conditions.

Range: Sawtooth PVC Conveyor Belts | Dimensions: Width, length, thickness and joint to specification

[Choose size and view product details](#)



Rough Top Conveyor Belts

Conveyor belt sourcing by application, belt construction and dimensions. Send a belt sample reference or photographs and the required operating conditions.

Range: Rough Top Conveyor Belts | Dimensions: Width, length, thickness and joint to specification

[Choose size and view product details](#)



Rubber Conveyor Belts

Conveyor belt sourcing by application, belt construction and dimensions. Send a belt sample reference or photographs and the required operating conditions.

Range: Rubber Conveyor Belts | Dimensions: Width, length, thickness and joint to specification

[Choose size and view product details](#)



Chevron Rubber Conveyor Belts

Conveyor belt sourcing by application, belt construction and dimensions. Send a belt sample reference or photographs and the required operating conditions.

Range: Chevron Rubber Conveyor Belts | Dimensions: Width, length, thickness and joint to specification

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 49-52 of 147



Meat Deboning Conveyor Belts

Conveyor belt sourcing by application, belt construction and dimensions. Send a belt sample reference or photographs and the required operating conditions.

Range: Meat Deboning Conveyor Belts | Dimensions: Width, length, thickness and joint to specification

[Choose size and view product details](#)




Polyester Mesh Conveyor Belts

Conveyor belt sourcing by application, belt construction and dimensions. Send a belt sample reference or photographs and the required operating conditions.

Range: Polyester Mesh Conveyor Belts | Dimensions: Width, length, thickness and joint to specification

[Choose size and view product details](#)




Conveyor Belt Cleats & Profiles

Conveyor belt sourcing by application, belt construction and dimensions. Send a belt sample reference or photographs and the required operating conditions.

Range: Conveyor Belt Cleats & Profiles | Dimensions: Width, length, thickness and joint to specification

[Choose size and view product details](#)



PTFE / Teflon Conveyor Belts

Conveyor belt sourcing by application, belt construction and dimensions. Send a belt sample reference or photographs and the required operating conditions.

Range: PTFE / Teflon Conveyor Belts | Dimensions: Width, length, thickness and joint to specification

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 53-56 of 147



Conveyor Belt Fasteners & Lacing

Mechanical belt joint enquiries selected by belt thickness, tension and pulley diameter.

Selection: Fastener size, belt thickness and joint width | Materials: Request steel or stainless and matching connecting pin

[Choose size and view product details](#)



Conveyor Tripod Support Bases

Replacement conveyor hardware selected by mounting dimensions and the mating component. Choose the configuration, give the required size and attach a photograph for matching.

Catalogue reference: L00001 | Configuration: Tripod base

[Choose size and view product details](#)



Conveyor Bipod Support Brackets

Replacement conveyor hardware selected by mounting dimensions and the mating component. Choose the configuration, give the required size and attach a photograph for matching.

Catalogue reference: L00002 | Configuration: Bipod support bracket

[Choose size and view product details](#)



Conveyor Frame Support Heads

Replacement conveyor hardware selected by mounting dimensions and the mating component. Choose the configuration, give the required size and attach a photograph for matching.

Catalogue reference: L00003 | Configuration: Tube support head

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 57-60 of 147



Conveyor Side Mounting Brackets

Replacement conveyor hardware selected by mounting dimensions and the mating component. Choose the configuration, give the required size and attach a photograph for matching.

Catalogue reference: L00004 | Configuration: 48.3 mm tube / 50.9 mm tube

[Choose size and view product details](#)



Adjustable Conveyor Levelling Feet

Replacement conveyor hardware selected by mounting dimensions and the mating component. Choose the configuration, give the required size and attach a photograph for matching.

Catalogue reference: L00005 | Configuration: 60 mm base / 80 mm base / 100 mm base

[Choose size and view product details](#)



Conveyor Square Tube Inserts

Replacement conveyor hardware selected by mounting dimensions and the mating component. Choose the configuration, give the required size and attach a photograph for matching.

Catalogue reference: L00006 | Configuration: M12 insert / M16 insert

[Choose size and view product details](#)



Split Shaft Locking Collars

Replacement conveyor hardware selected by mounting dimensions and the mating component. Choose the configuration, give the required size and attach a photograph for matching.

Catalogue reference: L00007 | Configuration: Round bore / Keyed bore / Square bore

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 61-64 of 147




Conveyor Frame & Guard Hinges

Replacement conveyor hardware selected by mounting dimensions and the mating component. Choose the configuration, give the required size and attach a photograph for matching.

Catalogue reference: L00008 | Configuration: Reinforced polyamide hinge

[Choose size and view product details](#)




Mushroom Profile Side Guide Clamps

Replacement conveyor hardware selected by mounting dimensions and the mating component. Choose the configuration, give the required size and attach a photograph for matching.

Catalogue reference: J00001 | Configuration: With rod / Without rod

[Choose size and view product details](#)




Fixed Conveyor Side Guide Clamps

Replacement conveyor hardware selected by mounting dimensions and the mating component. Choose the configuration, give the required size and attach a photograph for matching.

Catalogue reference: J00002 | Configuration: Single clamp / Double clamp

[Choose size and view product details](#)



Round Bar Side Guide Clamps


Replacement conveyor hardware selected by mounting dimensions and the mating component. Choose the configuration, give the required size and attach a photograph for matching.

Catalogue reference: J00003 | Configuration: With rod / Without rod

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 65-68 of 147



Dog Bone Profile Side Guide Clamps

Replacement conveyor hardware selected by mounting dimensions and the mating component. Choose the configuration, give the required size and attach a photograph for matching.

Catalogue reference: J00005 | Configuration: With rod / Without rod

Choose size and view product details




Conveyor Roller Side Guides

Replacement conveyor hardware selected by mounting dimensions and the mating component. Choose the configuration, give the required size and attach a photograph for matching.

Catalogue reference: J00006 | Configuration: Roller guide assembly

Choose size and view product details



Conveyor Transfer Roller Plates

Replacement conveyor hardware selected by mounting dimensions and the mating component. Choose the configuration, give the required size and attach a photograph for matching.

Catalogue reference: J00007 | Configuration: 2-roller plate / 3-roller plate / 5-roller plate

Choose size and view product details



Small Conveyor Side Guide Brackets

Replacement conveyor hardware selected by mounting dimensions and the mating component. Choose the configuration, give the required size and attach a photograph for matching.

Catalogue reference: K00001 | Configuration: Standard / Stargrip enquiry

Choose size and view product details

Conveyor Belts & Components

Product ranges 69-72 of 147



Large Conveyor Side Guide Brackets

Replacement conveyor hardware selected by mounting dimensions and the mating component. Choose the configuration, give the required size and attach a photograph for matching.

Catalogue reference: K00002 | Configuration: Large bracket

[Choose size and view product details](#)



Closed Dome Side Guide Brackets

Replacement conveyor hardware selected by mounting dimensions and the mating component. Choose the configuration, give the required size and attach a photograph for matching.

Catalogue reference: K00003 | Configuration: Closed dome top

[Choose size and view product details](#)



Side Guide Bracket Mounting Tops

Replacement conveyor hardware selected by mounting dimensions and the mating component. Choose the configuration, give the required size and attach a photograph for matching.

Catalogue reference: K00004 | Configuration: Closed dome / Stargrip

[Choose size and view product details](#)



PG: B16

TAB Conveyor Corner Tracks & Curves


Replacement conveyor hardware selected by mounting dimensions and the mating component. Choose the configuration, give the required size and attach a photograph for matching.

Catalogue reference: G000016 | Configuration: K450 / K750 / K1000 / K1200

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 73-76 of 147




1000 Raised Rib Railtrack Conveyor Belt

Narrow straight-running modular belt with a raised-rib surface. Specify the width and match the existing sprockets.

Pitch: 25.4 mm | Widths listed: 38 / 48 / 58 mm

[Choose size and view product details](#)



UHTP High Temperature Conveyor Belts

Polymer belt enquiries for shrink-wrap tunnels and elevated-temperature conveying. Select the exact belt series for the duty; published material capability is not a complete conveyor operating limit.

Material family: Ultra-high temperature polymer (UHTP) | Published material reference: Up to 225 deg C dry; exact belt, load and exposure limits to confirmation

[Choose size and view product details](#)



Conveyor Rollers & Tapered Rollers

Industrial replacement and sourcing enquiries by the exact reference or complete dimensions. Our team can help identify the item from clear photographs.

Selection: Part reference, dimensions and application | Supply: Exact replacement or alternative for approval

[Choose size and view product details](#)



Stainless Steel Wire Mesh Conveyor Belts


Wire conveyor belt enquiries for baking, cooling, drying and glass-processing duties. Supply weave, wire diameter, opening and end connection details.

Forms: Balanced, compound, flat-wire and special meshes | Dimensions: Width, overall length, wire diameter and mesh opening

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 77-80 of 147




50 / 60 mm Gun Barrel Conveyor Return Rollers

Gun barrel return roller range for chain and belt return runs. Specify the roller diameter, face length, shaft and flange arrangement.

Component: 50 / 60 mm Gun Barrel Conveyor Return Rollers | Size range: 50 mm, 60 mm

[Choose size and view product details](#)




57 mm Rubber Conveyor Return Rollers

Rubber-clad return roller range for conveyor return sections. Match the 57 mm diameter version, roller length and shaft mounting to the existing assembly.

Component: 57 mm Rubber Conveyor Return Rollers | Size range: 57 mm

[Choose size and view product details](#)



Conveyor Return Roller Guide Flanges

Guide flanges for lateral guidance on conveyor return systems. Choose the outside diameter and specify the matching shaft diameter.

Component: Conveyor Return Roller Guide Flanges | Size range: 65 mm, 80 mm

[Choose size and view product details](#)



Conveyor Return Shoes & Fingers


Return shoes and finger supports for the underside return run of a conveyor. Specify full-width shoe or finger support and match the 20 mm mounting arrangement.

Component: Conveyor Return Shoes & Fingers | Size range: 20 mm mounting shaft

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 81-84 of 147




812 / 815 Stainless Steel Flat Top Chains

812 / 815 Stainless Steel Flat Top Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running | Contact surface: Flat top

[Choose size and view product details](#)




815VG Stainless Steel Rubber Top Chains

815VG Stainless Steel Rubber Top Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running | Contact surface: Rubber / friction top

[Choose size and view product details](#)




802 / 805 Stainless Steel Double Hinge Chains

802 / 805 Stainless Steel Double Hinge Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running | Contact surface: Flat top

[Choose size and view product details](#)



805VG Double Hinge Rubber Top Chains


805VG Double Hinge Rubber Top Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running | Contact surface: Rubber / friction top

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 85-88 of 147



8157 Heavy Duty Stainless Steel Flat Top Chains

8157 Heavy Duty Stainless Steel Flat Top Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running | Contact surface: Flat top

[Choose size and view product details](#)




8157VG Heavy Duty Rubber Top Chains

8157VG Heavy Duty Rubber Top Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running | Contact surface: Rubber / friction top

[Choose size and view product details](#)



881M / 881MO Magnetic Stainless Steel Chains

881M / 881MO Magnetic Stainless Steel Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Side-flexing | Contact surface: Flat top

[Choose size and view product details](#)



881MO VG Magnetic Rubber Top Chains

881MO VG Magnetic Rubber Top Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Side-flexing | Contact surface: Rubber / friction top

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 89-92 of 147



881TAB / 881OTAB Stainless Steel Side Flexing Chains

881TAB / 881OTAB Stainless Steel Side Flexing Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Side-flexing | Contact surface: Flat top

[Choose size and view product details](#)




881TABVG Stainless Steel Rubber Top Chains

881TABVG Stainless Steel Rubber Top Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Side-flexing | Contact surface: Rubber / friction top

[Choose size and view product details](#)




1700 Multiflex Conveyor Chains

1700 Multiflex Conveyor Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running / side-flexing; match the series | Contact surface: Multiflex / crate chain profile

[Choose size and view product details](#)



1701 TAB Multiflex Conveyor Chains

1701 TAB Multiflex Conveyor Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running / side-flexing; match the series | Contact surface: Multiflex / crate chain profile

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 93-96 of 147




1765 Zero Gap Multiflex Conveyor Chains

1765 Zero Gap Multiflex Conveyor Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running / side-flexing; match the series | Contact surface: Multiflex / crate chain profile

[Choose size and view product details](#)




828 Plastic Flat Top Conveyor Chains

828 Plastic Flat Top Conveyor Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running | Contact surface: Flat top

[Choose size and view product details](#)




821 Double Hinge Flat Top Chains

821 Double Hinge Flat Top Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running | Contact surface: Flat top

[Choose size and view product details](#)



821 LBP Low Back Pressure Roller Chains


821 LBP Low Back Pressure Roller Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running | Contact surface: Low back pressure rollers

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 97-100 of 147




821 VG Double Hinge Friction Top Chains

821 VG Double Hinge Friction Top Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running | Contact surface: Rubber / friction top

[Choose size and view product details](#)




877 / 878 Small Radius TAB Chains

877 / 878 Small Radius TAB Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Side-flexing | Contact surface: Flat top

[Choose size and view product details](#)




879 TAB Side Flexing Flat Top Chains

879 TAB Side Flexing Flat Top Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Side-flexing | Contact surface: Flat top

[Choose size and view product details](#)



879M Magnetic Flat Top Chains

879M Magnetic Flat Top Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Side-flexing | Contact surface: Flat top

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 101-104 of 147




880 V TAB Vacuum Conveyor Chains

880 V TAB Vacuum Conveyor Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Side-flexing | Contact surface: Vacuum TAB profile

[Choose size and view product details](#)




880M Magnetic Flat Top Chains

880M Magnetic Flat Top Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Side-flexing | Contact surface: Flat top

[Choose size and view product details](#)




880P TAB Chains with Plastic Pins

880P TAB Chains with Plastic Pins for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Side-flexing | Contact surface: Flat top

[Choose size and view product details](#)



880 TAB BO Small Radius Chains


880 TAB BO Small Radius Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Side-flexing | Contact surface: Flat top

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 105-108 of 147




880 TAB Side Flexing Flat Top Chains

880 TAB Side Flexing Flat Top Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Side-flexing | Contact surface: Flat top

[Choose size and view product details](#)




882M Heavy Duty Magnetic Chains

882M Heavy Duty Magnetic Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Side-flexing | Contact surface: Flat top

[Choose size and view product details](#)



882 TAB Heavy Duty Conveyor Chains

882 TAB Heavy Duty Conveyor Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Side-flexing | Contact surface: Flat top

[Choose size and view product details](#)



2500 Closed Top Crate Conveyor Chains

2500 Closed Top Crate Conveyor Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running / side-flexing; match the series | Contact surface: Multiflex / crate chain profile

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 109-112 of 147

LFA-N CC600



CC600 Crate Conveyor Chains

CC600 Crate Conveyor Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running / side-flexing; match the series | Contact surface: Multiflex / crate chain profile

[Choose size and view product details](#)

LFA-N CC600F
LFA-N CC600XF



CC600F / CC600XF Crate Conveyor Chains

CC600F / CC600XF Crate Conveyor Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running / side-flexing; match the series | Contact surface: Multiflex / crate chain profile

[Choose size and view product details](#)



CC631 TAB Higher Link Crate Chains

CC631 TAB Higher Link Crate Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running / side-flexing; match the series | Contact surface: Multiflex / crate chain profile

[Choose size and view product details](#)

LFA-N CC600D-TAB



CC600D TAB Crate Conveyor Chains

CC600D TAB Crate Conveyor Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running / side-flexing; match the series | Contact surface: Multiflex / crate chain profile

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 113-116 of 147



1704 / 1705 PR200 Multiflex Chains

1704 / 1705 PR200 Multiflex Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running / side-flexing; match the series | Contact surface: Multiflex / crate chain profile

[Choose size and view product details](#)



2700 Heavy Duty TAB Multiflex Chains

2700 Heavy Duty TAB Multiflex Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running / side-flexing; match the series | Contact surface: Multiflex / crate chain profile

[Choose size and view product details](#)



843 Plate Top Conveyor Chains - 12.7 mm Pitch

843 Plate Top Conveyor Chains - 12.7 mm Pitch for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Straight-running | Contact surface: Flat top

[Choose size and view product details](#)



1873 TAB GS Plate Top Gripper Chains

1873 TAB GS Plate Top Gripper Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Side-flexing | Contact surface: Plate top with grippers

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 117-120 of 147



1873 TAB Plate Top Conveyor Chains

1873 TAB Plate Top Conveyor Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Side-flexing | Contact surface: Flat top

[Choose size and view product details](#)



1873 TAB VG High Friction Plate Top Chains

1873 TAB VG High Friction Plate Top Chains for replacement and conveyor component enquiries. Specify the full chain reference, width and required length. Match the hinge, guide arrangement and drive components to the existing line.

Travel: Side-flexing | Contact surface: Rubber / friction top

[Choose size and view product details](#)



812 / 815 / 881 Series Machined Sprockets with Side Guards

812 / 815 / 881 Series Machined Sprockets for matching conveyor chain drives and return assemblies. Select the drive or idler duty, tooth count and shaft dimensions so Beccentric can quote the correct configuration.

Construction: Split machined | Matching range: 812 / 815 / 881 Series

[Choose size and view product details](#)



812 / 815 / 881 Series Split Machined Sprockets

812 / 815 / 881 Series Split Machined Sprockets for matching conveyor chain drives and return assemblies. Select the drive or idler duty, tooth count and shaft dimensions so Beccentric can quote the correct configuration.

Construction: Split machined | Matching range: 812 / 815 / 881 Series

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 121-124 of 147



812 / 815 / 881 Series Split Moulded Sprockets

812 / 815 / 881 Series Split Moulded Sprockets for matching conveyor chain drives and return assemblies. Select the drive or idler duty, tooth count and shaft dimensions so Beccentric can quote the correct configuration.

Construction: Split moulded | Matching range: 812 / 815 / 881 Series

[Choose size and view product details](#)



881 / 881O Split Machined Chain Sprockets

881 / 881O Split Machined Chain Sprockets for matching conveyor chain drives and return assemblies. Select the drive or idler duty, tooth count and shaft dimensions so Beccentric can quote the correct configuration.

Construction: Split machined | Matching range: 881 / 881O

[Choose size and view product details](#)



881 / 881O Split Moulded Chain Sprockets

881 / 881O Split Moulded Chain Sprockets for matching conveyor chain drives and return assemblies. Select the drive or idler duty, tooth count and shaft dimensions so Beccentric can quote the correct configuration.

Construction: Split moulded | Matching range: 881 / 881O

[Choose size and view product details](#)



800 / 802 / 805 / 821 Split Machined Sprockets

800 / 802 / 805 / 821 Split Machined Sprockets for matching conveyor chain drives and return assemblies. Select the drive or idler duty, tooth count and shaft dimensions so Beccentric can quote the correct configuration.

Construction: Split machined | Matching range: 800 / 802 / 805 / 821

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 125-128 of 147



800 / 802 / 805 Sprockets with Side Guards

800 / 802 / 805 Sprockets for matching conveyor chain drives and return assemblies. Select the drive or idler duty, tooth count and shaft dimensions so Beccentric can quote the correct configuration.

Construction: Split machined | Matching range: 800 / 802 / 805

[Choose size and view product details](#)



821 Split Moulded Drive & Idler Sprockets

821 Split Moulded Drive & Idler Sprockets for matching conveyor chain drives and return assemblies. Select the drive or idler duty, tooth count and shaft dimensions so Beccentric can quote the correct configuration.

Construction: Split moulded | Matching range: 821

[Choose size and view product details](#)



8157 Chain Sprockets with Side Guards

8157 Chain Sprockets for matching conveyor chain drives and return assemblies. Select the drive or idler duty, tooth count and shaft dimensions so Beccentric can quote the correct configuration.

Construction: Split machined | Matching range: 8157

[Choose size and view product details](#)



8157 Split Machined Chain Sprockets

8157 Split Machined Chain Sprockets for matching conveyor chain drives and return assemblies. Select the drive or idler duty, tooth count and shaft dimensions so Beccentric can quote the correct configuration.

Construction: Split machined | Matching range: 8157

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 129-132 of 147



880 Split Moulded Drive & Idler Sprockets

880 Split Moulded Drive & Idler Sprockets for matching conveyor chain drives and return assemblies. Select the drive or idler duty, tooth count and shaft dimensions so Beccentric can quote the correct configuration.

Construction: Split moulded | Matching range: 880

[Choose size and view product details](#)



882 Split Drive & Idler Sprockets

882 Split Drive & Idler Sprockets for matching conveyor chain drives and return assemblies. Select the drive or idler duty, tooth count and shaft dimensions so Beccentric can quote the correct configuration.

Construction: Split machined / moulded | Matching range: 882

[Choose size and view product details](#)



CC600 / CC631 Crate Chain Sprockets

CC600 / CC631 Crate Chain Sprockets for matching conveyor chain drives and return assemblies. Select the drive or idler duty, tooth count and shaft dimensions so Beccentric can quote the correct configuration.

Construction: Split machined / moulded | Matching range: CC600 / CC631

[Choose size and view product details](#)



1700 / 1701 Multiflex Chain Sprockets


1700 / 1701 Multiflex Chain Sprockets for matching conveyor chain drives and return assemblies. Select the drive or idler duty, tooth count and shaft dimensions so Beccentric can quote the correct configuration.

Construction: Split moulded | Matching range: 1700 / 1701

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 133-136 of 147




TAB Straight Tracks for K325 / K330 / K450 / K750 Chains

TAB guide track for the K325, K330, K450, K750 chain range. Send the existing chain reference and track section so the guiding profile, mounting and required straight length can be matched.

Guide form: TAB straight section | Chain references: K325, K330, K450, K750

[Choose size and view product details](#)




TAB Straight Tracks for A1700 / A1701 / A1702 Chains

TAB guide track for the A1700, A1701, A1702 chain range. Send the existing chain reference and track section so the guiding profile, mounting and required straight length can be matched.

Guide form: TAB straight section | Chain references: A1700, A1701, A1702

[Choose size and view product details](#)




TAB Straight Tracks for CC600D / CC631D Chains

TAB guide track for the CC600D, CC631D chain range. Send the existing chain reference and track section so the guiding profile, mounting and required straight length can be matched.

Guide form: TAB straight section | Chain references: CC600D, CC631D

[Choose size and view product details](#)



Single Round Bar Conveyor Guide Clamps


A single clamp for round-bar side-guide mounting. Match the profile, mounting dimensions and conveyor layout when requesting a replacement.

Component: Single Round Bar Conveyor Guide Clamps | Mounting: Match rod, profile and fixing dimensions

[Choose size and view product details](#)

Conveyor Belts & Components

Product ranges 137-140 of 147




Combiner Roller Side Guides

A combiner roller guide assembly for product handling. Match the profile, mounting dimensions and conveyor layout when requesting a replacement.

Component: Combiner Roller Side Guides | Mounting: Match rod, profile and fixing dimensions

[Choose size and view product details](#)




W001 Hollow Dog Bone Wear Strip

W001 hollow dog bone wear strip for conveyor guiding and replacement enquiries. Match the hollow section and mounting groove to your existing guide.

Profile: Hollow dog bone | Reference: W001

[Choose size and view product details](#)




W002 Half Dog Bone Wear Strip

W002 half dog bone wear strip for conveyor guiding and replacement enquiries. Include the mounting profile and height; the illustrated section has an 80 mm overall width.

Profile: Half dog bone | Reference: W002

[Choose size and view product details](#)



W003 Solid Dog Bone Wear Strip

W003 solid dog bone wear strip for conveyor guiding and replacement enquiries. The profile drawing shows an 83 mm overall width and 19 mm end diameter. Match the full section before ordering.

Profile: Solid dog bone | Reference: W003

[Choose size and view product details](#)

Conveyor Belts & Components


Product ranges 141-144 of 147

W006 Flat T-Profile Wear Strip - 60 x 2.5 mm

W006 flat t-profile wear strip for conveyor guiding and replacement enquiries. The top is 60 mm wide and 2.5 mm thick; the complete profile is 7.8 mm high. Match the underside key as well.

Profile: Flat T-profile | Reference: W006

[Choose size and view product details](#)




W009 U-Section Conveyor Wear Strip

W009 u-section wear strip for conveyor guiding and replacement enquiries. The reference profile has a 17.8 mm outer width and 16 mm outer height. Check the opening and supporting bar dimensions.

Profile: U-section | Reference: W009

[Choose size and view product details](#)




W119 Conical Wear Strip with Stainless Steel Backing

W119 / W0119 conical profile + steel backing wear strip for conveyor guiding and replacement enquiries. Conical wear profile with backing. Include the backing and fixing arrangement in your request.

Profile: Conical profile + steel backing | Reference: W119 / W0119

[Choose size and view product details](#)




W069-1 Stepped U-Section Wear Strip - 30 x 3

W069-1 stepped u-section wear strip for conveyor guiding and replacement enquiries. The drawing shows 40.7 mm overall width and a 30.4 mm inner opening. Match the stepped section to the supporting bar.


Profile: Stepped U-section | Reference: W069-1

[Choose size and view product details](#)



Conveyor Belts & Components

Product ranges 145-147 of 147




W088 T-Profile Wear Strip - 44 x 4

W088 t-profile wear strip for conveyor guiding and replacement enquiries. 44 mm top width with 4 mm web thickness; include the complete channel and engagement dimensions.

Profile: T-profile | Reference: W088

[Choose size and view product details](#)




W592 Clip-On L-Profile Wear Strip - 15.3 x 3

W592 clip-on l-profile wear strip for conveyor guiding and replacement enquiries. Clip-on guide profile. Check the opening and backing thickness against your existing rail.

Profile: Clip-on L-profile | Reference: W592

[Choose size and view product details](#)



W652 Clip-On C-Section Wear Strip with Steel Backing

W652 clip-on c-section + steel backing wear strip for conveyor guiding and replacement enquiries. The illustrated assembly is 40 mm wide and 23 mm high. Confirm the wear strip and steel backing together.

Profile: Clip-on C-section + steel backing | Reference: W652

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 1-4 of 78



Stainless Steel Elbows

Elbows for industrial and hygienic pipework. Nominal pipe sizes and tube outside diameters use different conventions-include the connection standard.

Grade request: 304 / 316 / other specified grade | Connection request: Butt weld / threaded / hygienic

[Choose size and view product details](#)



Stainless Steel Tees & Reducers

Branch and transition fittings for process and utility pipework, specified to suit the connected pipe or tube.

Grade request: 304 / 316 / other specified grade | Dimensions: State all inlet and outlet sizes

[Choose size and view product details](#)



Hygienic Unions & Clamps

Unions, ferrules, clamps and seals for hygienic process connections. Match the connection standard and seal material before ordering.

Connection: State applicable standard | Grade request: Specify required stainless grade

[Choose size and view product details](#)



Stainless Steel Pipe & Tube

Pipe and tube enquiries for industrial and hygienic applications, with the grade, wall thickness and finish specified for your requirement.

Grade request: 304 / 316 / other specified grade | Size: Nominal bore or outside diameter

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 5-8 of 78



Hygienic Weld-on Unions

Demountable stainless steel unions for hygienic pipework. Choose the connection standard, nominal size, grade and seal for your enquiry.

Assembly: Nut, weld male, weld liner and gasket | Size conventions: DIN metric, imperial / ISO or SMS

[Choose size and view product details](#)



Hygienic Tri-clamp Unions

Clamp connections for hygienic process lines. Specify the tube size and ferrule-face diameter so the clamp, ferrules and gasket fit together.

Assembly: Clamp, ferrules and gasket | Sizing: Tube size and ferrule-face diameter are different measurements

[Choose size and view product details](#)



Hygienic Weld Ferrules

Stainless steel ferrules for clamp-type hygienic connections. Match the ferrule face, tube dimensions and weld length to the existing connection.

Connection: Clamp face with weld end | Dimensions: Tube OD, wall, ferrule-face diameter and length

[Choose size and view product details](#)



Hygienic 90 deg Bends

Weld bends for direction changes in hygienic process tubing. Select the sizing standard and nominal size, then include wall thickness and finish requirements.

Angle: 90 deg | Dimensions: Tube OD, wall and bend radius

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 9-12 of 78



Hygienic 45 deg Bends

Stainless steel bends for 45-degree changes in hygienic tubing. Give the connection standard and tube dimensions when matching an existing line.

Angle: 45 deg | Dimensions: Tube OD, wall, bend radius and leg lengths

[Choose size and view product details](#)



Hygienic Equal Tees

Three-way fittings with equal-size connections for hygienic process tubing. Confirm the branch dimensions and finish as well as the tube size.

Connections: Three equal nominal sizes | Sizing: Select standard and confirm actual tube dimensions

[Choose size and view product details](#)



Hygienic Concentric Reducers

Centred transition fittings between two tube sizes. Select both ends using the same size standard and specify the overall length.

Geometry: Centred transition | Ends: Specify both connection sizes

[Choose size and view product details](#)



Hygienic End Caps

Stainless steel caps for terminating process tubing. Match the tube or ferrule interface and specify whether the cap is welded, clamped or threaded.

End style: Weld / clamp / threaded union requirement | Sizing: Tube dimensions or clamp-face dimensions

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 13-16 of 78



Stainless Steel Threaded Sockets

Female-thread couplings for joining compatible threaded pipe ends. Select thread size and standard, then confirm the required grade and pressure-temperature duty.

Connection: Female threaded | Standard: Specify BSP or NPT; do not interchange

[Choose size and view product details](#)



Stainless Steel Threaded Nipples

Male-threaded pipe sections for process and utility connections. Both thread standard and overall length are needed to identify the required nipple.

Connection: Male threaded ends | Dimensions: Thread size, overall length and wall/schedule

[Choose size and view product details](#)



Stainless Steel BSP 90 deg Elbow

90 deg Elbow for threaded stainless steel pipework. Specify the thread size and parallel or tapered thread form to match the installation.

Fitting: 90 deg Elbow | Connection family: BSP screwed

[Choose size and view product details](#)



Stainless Steel BSP Equal Tee

Equal Tee for threaded stainless steel pipework. Specify the thread size and parallel or tapered thread form to match the installation.

Fitting: Equal Tee | Connection family: BSP screwed

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 17-20 of 78



Stainless Steel BSP Coupling / Socket

Coupling / Socket for threaded stainless steel pipework. Specify the thread size and parallel or tapered thread form to match the installation.

Fitting: Coupling / Socket | Connection family: BSP screwed

[Choose size and view product details](#)



Stainless Steel BSP Union

Union for threaded stainless steel pipework. Specify the thread size and parallel or tapered thread form to match the installation.

Fitting: Union | Connection family: BSP screwed

[Choose size and view product details](#)



Stainless Steel BSP Cross

Cross for threaded stainless steel pipework. Specify the thread size and parallel or tapered thread form to match the installation.

Fitting: Cross | Connection family: BSP screwed

[Choose size and view product details](#)



Stainless Steel BSP Barrel Nipple

Barrel Nipple for threaded stainless steel pipework. Specify the thread size and parallel or tapered thread form to match the installation.

Fitting: Barrel Nipple | Connection family: BSP screwed

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 21-24 of 78



Stainless Steel BSP Reducing Bush

Reducing Bush for threaded stainless steel pipework. Specify the thread size and parallel or tapered thread form to match the installation.

Fitting: Reducing Bush | Connection family: BSP screwed

[Choose size and view product details](#)



Stainless Steel BSP Plug

Plug for threaded stainless steel pipework. Specify the thread size and parallel or tapered thread form to match the installation.

Fitting: Plug | Connection family: BSP screwed

[Choose size and view product details](#)



Stainless Steel BSP Male / Female Street Elbow

Male / Female Street Elbow for threaded stainless steel pipework. Specify the thread size and parallel or tapered thread form to match the installation.

Fitting: Male / Female Street Elbow | Connection family: BSP screwed

[Choose size and view product details](#)



Stainless Steel BSP Hex Nipple

Hex Nipple for threaded stainless steel pipework. Specify the thread size and parallel or tapered thread form to match the installation.

Fitting: Hex Nipple | Connection family: BSP screwed

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 25-28 of 78



Stainless Steel Sheet & Plate

The profile lists 6000 x 2000 mm in 3-8 mm thickness, and 3000 x 1500 / 2500 x 1250 mm in a 0.5-50 mm range. Exact grade and size combinations require confirmation.

Product form: Stainless Steel Sheet & Plate | Supply: Grade, finish and cut size to enquiry

[Choose size and view product details](#)



Stainless Steel Coil

Specify coil width, thickness, grade, surface finish and coil or cut length requirement.

Product form: Stainless Steel Coil | Supply: Grade, finish and cut size to enquiry

[Choose size and view product details](#)



Stainless Steel Checker / Tread Plate

Raised-pattern plate for access and fabrication enquiries. Specify base thickness separately from the tread height.

Product form: Stainless Steel Checker / Tread Plate | Supply: Grade, finish and cut size to enquiry

[Choose size and view product details](#)



Aluminium Sheet

Sheet sourcing by alloy, temper, thickness and panel dimensions. Image shows the sheet product form; material appearance varies.

Product form: Aluminium Sheet | Supply: Grade, finish and cut size to enquiry

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 29-32 of 78



Stainless Steel Equal Angle

Equal Angle for machining, supports and fabrication. Include a section drawing when dimensions or tolerances are critical.

Form: Equal Angle | Length: Specify required cut or full length

[Choose size and view product details](#)




Stainless Steel Flat Bar

Flat Bar for machining, supports and fabrication. Include a section drawing when dimensions or tolerances are critical.

Form: Flat Bar | Length: Specify required cut or full length

[Choose size and view product details](#)



Stainless Steel Round Bar

Round Bar for machining, supports and fabrication. Include a section drawing when dimensions or tolerances are critical.

Form: Round Bar | Length: Specify required cut or full length

[Choose size and view product details](#)



Stainless Steel Hollow Bar

Hollow Bar for machining, supports and fabrication. Include a section drawing when dimensions or tolerances are critical.

Form: Hollow Bar | Length: Specify required cut or full length

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 33-36 of 78



Stainless Steel Channel

Channel for machining, supports and fabrication. Include a section drawing when dimensions or tolerances are critical.

Form: Channel | Length: Specify required cut or full length

[Choose size and view product details](#)



ASTM A312 Seamless Stainless Steel Pipe

Specify the complete pipe or tube designation, grade and dimensions. Nominal bore and actual tube outside diameter are different measurements.

Profile size range: DN 6-300 | Schedules listed: 10S / 40S / 80S

[Choose size and view product details](#)



ASTM A312 Welded Stainless Steel Pipe

Specify the complete pipe or tube designation, grade and dimensions. Nominal bore and actual tube outside diameter are different measurements.

Profile size ranges: 10S: DN 6-1000; 40S: DN 6-400 | Construction: Welded; confirm manufacturing and testing requirements

[Choose size and view product details](#)



ASTM A269 Stainless Steel Tubing

Specify the complete pipe or tube designation, grade and dimensions. Nominal bore and actual tube outside diameter are different measurements.

Product: Precision tube; seamless option listed | Dimensions: Specify actual outside diameter and wall thickness

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 37-40 of 78



Stainless Steel Heat Exchanger Tubes

Specify the complete pipe or tube designation, grade and dimensions. Nominal bore and actual tube outside diameter are different measurements.

Application: Heat exchangers and process equipment | Selection: Tube material standard and tolerances to enquiry

[Choose size and view product details](#)



Duplex & Super Duplex Stainless Steel Pipe

Specify the complete pipe or tube designation, grade and dimensions. Nominal bore and actual tube outside diameter are different measurements.

Duplex references: ASTM A790 2205 / 2507 listed in profile | 904L: Request the correct pipe material standard; profile entry needs confirmation

[Choose size and view product details](#)



Stainless Steel Square Tube

Square Tube for fabrication and structural enquiries, selected by external dimensions, wall thickness and finish.

Section: Square Tube | Dimensions: Width x height x wall thickness

[Choose size and view product details](#)



Stainless Steel Rectangular Tube

Rectangular Tube for fabrication and structural enquiries, selected by external dimensions, wall thickness and finish.

Section: Rectangular Tube | Dimensions: Width x height x wall thickness

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 41-44 of 78



Stainless Steel Slip-On Flanges

Flanged pipeline components selected by the full flange standard, drilling and pressure class. Supply a drawing for exact replacement matching.

Material family: ASTM A182 forged stainless steel enquiries | Standard matching: State ASME, SANS/SABS or BS standard independently of pressure class

[Choose size and view product details](#)



Stainless Steel Weld Neck Flanges

Flanged pipeline components selected by the full flange standard, drilling and pressure class. Supply a drawing for exact replacement matching.

Material family: ASTM A182 forged stainless steel enquiries | Standard matching: State ASME, SANS/SABS or BS standard independently of pressure class

[Choose size and view product details](#)



Stainless Steel Blind / Spectacle Blind Flanges

Flanged pipeline components selected by the full flange standard, drilling and pressure class. Supply a drawing for exact replacement matching.

Material family: ASTM A182 forged stainless steel enquiries | Standard matching: State ASME, SANS/SABS or BS standard independently of pressure class

[Choose size and view product details](#)



Stainless Steel Backing Rings

Loose-flange assembly component. Match the collar, pipe and backing ring dimensions before ordering.

Assembly: Loose flange / lap-joint connection | Required details: Standard, pipe OD, bore, drilling and mating component

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 45-48 of 78



Galvanized Steel Backing Rings

Loose-flange assembly component. Match the collar, pipe and backing ring dimensions before ordering.

Assembly: Loose flange / lap-joint connection | Required details: Standard, pipe OD, bore, drilling and mating component

[Choose size and view product details](#)



Stainless Steel Stub Ends

Loose-flange assembly component. Match the collar, pipe and backing ring dimensions before ordering.

Assembly: Loose flange / lap-joint connection | Required details: Standard, pipe OD, bore, drilling and mating component

[Choose size and view product details](#)



Stainless Steel Pressed Collars

Loose-flange assembly component. Match the collar, pipe and backing ring dimensions before ordering.

Assembly: Loose flange / lap-joint connection | Required details: Standard, pipe OD, bore, drilling and mating component

[Choose size and view product details](#)



Stainless Steel Butt Weld End Caps

Pipeline sourcing by material standard, dimensions and service requirements. Include line drawings and the complete piping specification.

Material reference: 304/304L, 316/316L; specialist alloy requests | Size and wall: Specify nominal bore and schedule

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 49-52 of 78



Stainless Steel Pipe Returns & Laterals

Pipeline sourcing by material standard, dimensions and service requirements. Include line drawings and the complete piping specification.

Material reference: 304/304L, 316/316L; specialist alloy requests | Size and wall: Specify nominal bore and schedule

[Choose size and view product details](#)



Carbon Steel Seamless & Welded Pipe

Pipeline sourcing by material standard, dimensions and service requirements. Include line drawings and the complete piping specification.

Material reference: ASTM A53 / A106 Gr B (pipe), A234 WPB (fittings), A105 (flanges) | Size and wall: Specify nominal bore and schedule

[Choose size and view product details](#)



Carbon Steel Butt Weld Fittings

Pipeline sourcing by material standard, dimensions and service requirements. Include line drawings and the complete piping specification.

Material reference: ASTM A53 / A106 Gr B (pipe), A234 WPB (fittings), A105 (flanges) | Size and wall: Specify nominal bore and schedule

[Choose size and view product details](#)



Carbon Steel Flanges

Pipeline sourcing by material standard, dimensions and service requirements. Include line drawings and the complete piping specification.

Material reference: ASTM A53 / A106 Gr B (pipe), A234 WPB (fittings), A105 (flanges) | Size and wall: Specify nominal bore and schedule

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 53-56 of 78



Stainless Steel Handrail Stanchions

Components for access and fabrication projects. Supply layout, mounting and dimensions; confirm suitability for the intended installation.

Stanchion tube: 38.1 x 1.5 mm | Handrail tube: 31.75 x 1.5 mm

[Choose size and view product details](#)



Stainless Steel Handrail Bends & Closures

Components for access and fabrication projects. Supply layout, mounting and dimensions; confirm suitability for the intended installation.

Tube: 31.75 x 1.5 mm | End form: Swaged or plain to request

[Choose size and view product details](#)



Stainless Steel Grating

Components for access and fabrication projects. Supply layout, mounting and dimensions; confirm suitability for the intended installation.

Use: Walkways, platforms and drainage | Selection: Panel size, bearing bar depth/thickness and spacing

[Choose size and view product details](#)



Stainless Steel Instrument Tube Elbow

Compression tube fitting for instrumentation and small-bore process lines. Match tube OD, thread form and the complete fitting system; do not mix ferrule systems without approval.

Connection: Tube compression; threaded end where applicable | Selection: Metric or inch tube OD and wall thickness

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 57-60 of 78



Stainless Steel Instrument Tube Tee

Compression tube fitting for instrumentation and small-bore process lines. Match tube OD, thread form and the complete fitting system; do not mix ferrule systems without approval.

Connection: Tube compression; threaded end where applicable | Selection: Metric or inch tube OD and wall thickness

[Choose size and view product details](#)



Stainless Steel Instrument Tube Union

Compression tube fitting for instrumentation and small-bore process lines. Match tube OD, thread form and the complete fitting system; do not mix ferrule systems without approval.

Connection: Tube compression; threaded end where applicable | Selection: Metric or inch tube OD and wall thickness

[Choose size and view product details](#)



Stainless Steel Instrument Tube Union Cross

Compression tube fitting for instrumentation and small-bore process lines. Match tube OD, thread form and the complete fitting system; do not mix ferrule systems without approval.

Connection: Tube compression; threaded end where applicable | Selection: Metric or inch tube OD and wall thickness

[Choose size and view product details](#)



Stainless Steel Instrument Tube Bulkhead Female Connector

Compression tube fitting for instrumentation and small-bore process lines. Match tube OD, thread form and the complete fitting system; do not mix ferrule systems without approval.

Connection: Tube compression; threaded end where applicable | Selection: Metric or inch tube OD and wall thickness

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 61-64 of 78



Stainless Steel Instrument Tube Male Connector

Compression tube fitting for instrumentation and small-bore process lines. Match tube OD, thread form and the complete fitting system; do not mix ferrule systems without approval.

Connection: Tube compression; threaded end where applicable | Selection: Metric or inch tube OD and wall thickness

[Choose size and view product details](#)



Forged Stainless Steel 90 deg Elbow

Forged fitting enquiry for process pipework. Confirm the end preparation and certified pressure class for the exact item; the profile does not establish a reliable universal rating.

Grades listed: 304L / 316L | End connections: Socket weld / threaded as specified

[Choose size and view product details](#)



Forged Stainless Steel Equal Tee

Forged fitting enquiry for process pipework. Confirm the end preparation and certified pressure class for the exact item; the profile does not establish a reliable universal rating.

Grades listed: 304L / 316L | End connections: Socket weld / threaded as specified

[Choose size and view product details](#)



Forged Stainless Steel Union

Forged fitting enquiry for process pipework. Confirm the end preparation and certified pressure class for the exact item; the profile does not establish a reliable universal rating.

Grades listed: 304L / 316L | End connections: Socket weld / threaded as specified

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 65-68 of 78



Forged Stainless Steel Full Coupling

Forged fitting enquiry for process pipework. Confirm the end preparation and certified pressure class for the exact item; the profile does not establish a reliable universal rating.

Grades listed: 304L / 316L | End connections: Socket weld / threaded as specified

[Choose size and view product details](#)



Forged Stainless Steel Socket Weld / NPT Adaptor

Forged fitting enquiry for process pipework. Confirm the end preparation and certified pressure class for the exact item; the profile does not establish a reliable universal rating.

Grades listed: 304L / 316L | End connections: Socket weld / threaded as specified

[Choose size and view product details](#)



Forged Stainless Steel 45 deg Elbow

Forged fitting enquiry for process pipework. Confirm the end preparation and certified pressure class for the exact item; the profile does not establish a reliable universal rating.

Grades listed: 304L / 316L | End connections: Socket weld / threaded as specified

[Choose size and view product details](#)



Forged Stainless Steel Reducing Tee

Forged fitting enquiry for process pipework. Confirm the end preparation and certified pressure class for the exact item; the profile does not establish a reliable universal rating.

Grades listed: 304L / 316L | End connections: Socket weld / threaded as specified

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 69-72 of 78



Forged Stainless Steel Half Coupling

Forged fitting enquiry for process pipework. Confirm the end preparation and certified pressure class for the exact item; the profile does not establish a reliable universal rating.

Grades listed: 304L / 316L | End connections: Socket weld / threaded as specified

[Choose size and view product details](#)



Forged Stainless Steel Hex Nipple

Forged fitting enquiry for process pipework. Confirm the end preparation and certified pressure class for the exact item; the profile does not establish a reliable universal rating.

Grades listed: 304L / 316L | End connections: Socket weld / threaded as specified

[Choose size and view product details](#)



Forged Stainless Steel Cap

Forged fitting enquiry for process pipework. Confirm the end preparation and certified pressure class for the exact item; the profile does not establish a reliable universal rating.

Grades listed: 304L / 316L | End connections: Socket weld / threaded as specified

[Choose size and view product details](#)



Forged Stainless Steel Plug

Forged fitting enquiry for process pipework. Confirm the end preparation and certified pressure class for the exact item; the profile does not establish a reliable universal rating.

Grades listed: 304L / 316L | End connections: Socket weld / threaded as specified

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 73-76 of 78



RJT Dairy Unions

Hygienic process component for food, beverage and dairy line enquiries. Match the connection standard, measured tube diameter and cleaning conditions.

Connection: RJT | Seals: EPDM / FKM / PTFE requests; compatibility to be checked

[Choose size and view product details](#)



SMS Dairy Unions

Hygienic process component for food, beverage and dairy line enquiries. Match the connection standard, measured tube diameter and cleaning conditions.

Connection: SMS | Seals: EPDM / FKM / PTFE requests; compatibility to be checked

[Choose size and view product details](#)



Hygienic Sight Glasses

Hygienic process component for food, beverage and dairy line enquiries. Match the connection standard, measured tube diameter and cleaning conditions.

Connection: Specify hygienic connection standard | Seals: EPDM / FKM / PTFE requests; compatibility to be checked

[Choose size and view product details](#)



Tank Cleaning Spray Balls

Hygienic process component for food, beverage and dairy line enquiries. Match the connection standard, measured tube diameter and cleaning conditions.

Connection: Specify hygienic connection standard | Seals: EPDM / FKM / PTFE requests; compatibility to be checked

[Choose size and view product details](#)

Stainless Steel & Hygienic Fittings

Product ranges 77-78 of 78



Hygienic Tank Fittings

Hygienic process component for food, beverage and dairy line enquiries. Match the connection standard, measured tube diameter and cleaning conditions.

Connection: Specify hygienic connection standard | Seals: EPDM / FKM / PTFE requests; compatibility to be checked

[Choose size and view product details](#)



Hygienic Inline Strainers

Hygienic process component for food, beverage and dairy line enquiries. Match the connection standard, measured tube diameter and cleaning conditions.

Connection: Specify hygienic connection standard | Seals: EPDM / FKM / PTFE requests; compatibility to be checked

[Choose size and view product details](#)

Bearings & Power Transmission

Product ranges 1-4 of 7



Industrial Bearings & Housed Units

Bearing enquiries by complete manufacturer reference, including suffixes, seals, clearance and housing details.

Reference: Include every prefix and suffix | Dimensions: Bore, outside diameter and width

[Choose size and view product details](#)



Drive Belts, Chains & Couplings

Power transmission components for maintenance and replacement, matched by profile, pitch and mechanical interface.

Belts: Profile, length and width | Chains: Standard, pitch and number of strands

[Choose size and view product details](#)



PU Round Conveyor Belting

Polyurethane round belt enquiries by diameter, surface and joint. Include drive layout and pulley details.

Material: Polyurethane | Supply: Open length or endless joint to enquiry

[Choose size and view product details](#)



Reinforced PU Round Belting


Polyurethane round belt enquiries by diameter, surface and joint. Include drive layout and pulley details.

Material: Polyurethane | Supply: Open length or endless joint to enquiry

[Choose size and view product details](#)

Bearings & Power Transmission

Product ranges 5-7 of 7



Open-Ended Timing Belts

Timing belt lengths for power transmission and positioning applications. Confirm tooth profile, pitch, width and tensile member.

Supply: Open-ended lengths | Match: Profile and pulley geometry

[Choose size and view product details](#)



Roller Chain Sprockets & Simplex Sprockets

Industrial replacement and sourcing enquiries by the exact reference or complete dimensions. Our team can help identify the item from clear photographs.

Selection: Part reference, dimensions and application | Supply: Exact replacement or alternative for approval

[Choose size and view product details](#)



Timing Belt Pulleys

Industrial replacement and sourcing enquiries by the exact reference or complete dimensions. Our team can help identify the item from clear photographs.

Selection: Part reference, dimensions and application | Supply: Exact replacement or alternative for approval

[Choose size and view product details](#)

Motors, Gearboxes & Drives

Product ranges 1-2 of 2



Electric Motors & Gearboxes

Replacement motors and geared drives with attention to nameplate data, mounting, shaft dimensions and driven equipment.

Motor: kW, voltage, speed and frame | Mounting: Foot / flange / combined

[Choose size and view product details](#)



Variable Frequency Drives

Drive sourcing by exact reference or motor and application requirements. Existing settings and control requirements help identify a suitable offer.

Electrical: Supply voltage, motor kW and current | Control: Required inputs, outputs and communication

[Choose size and view product details](#)

Valves, Actuation & Steam

Product ranges 1-4 of 18



316 Stainless Steel Ball Valve

One-piece, reduced-port stainless steel ball valve with BSP threaded ends and a locking lever. Choose a nominal size for your enquiry.

Body: T316 stainless steel | Construction: One-piece, reduced port

[Choose size and view product details](#)



Process Valves & Actuators

Manual and actuated valves for plant and process requirements. Specify the valve and actuator together so the operating requirements are clear.

Valve: Size, material and connection standard | Actuator: Pneumatic / electric / manual

[Choose size and view product details](#)



Steam & Boiler Control Spares

Sourcing for steam traps, pressure-control components, level controls and boiler-related replacement parts.

Identification: Manufacturer and complete model | Operating conditions: Pressure, temperature and service

[Choose size and view product details](#)



Butterfly Valves


Quarter-turn valves for pipework isolation and selected flow-control duties. Send the flange standard, medium and operating conditions so the body, disc and seat can be matched to the application.

Connection: Wafer / lug; state flange drilling and pressure class | Operation: Lever, gearbox, pneumatic or electric actuator

[Choose size and view product details](#)

Valves, Actuation & Steam

Product ranges 5-8 of 18



Hygienic Butterfly Valves

Stainless steel butterfly valves for hygienic process pipework in beverage, dairy and food production. The tube standard and seal specification matter as much as the nominal size.

Weld-on reference range: DIN metric 25-150 mm; ISO 1-4 inch in the NDE range | Sizing: Specify tube outside diameter and wall thickness

[Choose size and view product details](#)



Globe & Stop Valves

Globe-pattern valves for shut-off duties and, with the appropriate trim, flow regulation. Specify whether you need simple isolation or controlled flow before a valve is selected.

Connection: Flanged or threaded requirement; state standard | Duty: Isolation or regulation; include pressure drop for control duty

[Choose size and view product details](#)



Gate Valves

Pipeline isolation valves intended for fully open or fully closed service. Match the valve's dimensions and pressure class to the existing line.

Function: On/off isolation; not intended for throttling | Connection: State flange standard, pressure class and face-to-face length

[Choose size and view product details](#)



Check & Non-return Valves


Automatically operating valves used to restrict reverse flow. The installation direction, flow conditions and closing behaviour help determine the appropriate design.

Function: Automatic non-return action | Installation: Horizontal / vertical; state flow direction

[Choose size and view product details](#)

Valves, Actuation & Steam

Product ranges 9-12 of 18



Diaphragm Valves

Valves that use a flexible diaphragm to close the flow path. Body lining and diaphragm material are selected around the chemical, temperature and solids in the process.

Design: Weir / straight-through requirement | Compatibility: Specify body lining and diaphragm compound

[Choose size and view product details](#)



Solenoid Valves

Electrically switched valves for compatible water, air and process-fluid applications. Coil voltage and the pressure conditions must match the chosen valve.

Electrical: Specify AC/DC, voltage, frequency and connector | Action: Normally closed / normally open

[Choose size and view product details](#)



Safety & Pressure Relief Valves

Enquiries for overpressure-protection valves and exact replacement assemblies. Selection requires the specified set pressure, relieving capacity and equipment duty.

Required data: Set pressure, relieving flow and medium | Operating duty: Temperature, back pressure and protected equipment

[Choose size and view product details](#)



Y-Strainers & Pipeline Filters

Pipeline strainers retain debris before it reaches downstream equipment. Specify the screen opening and allowable pressure drop as well as the line size.

Screen: Mesh or perforation size; state material | Connection: Threaded or flanged; specify standard

[Choose size and view product details](#)

Valves, Actuation & Steam

Product ranges 13-16 of 18



Process Control Valves

Valve and actuator enquiries for regulating a process variable. Share the operating range and control requirements so the complete assembly can be considered.

Sizing inputs: Minimum, normal and maximum flow; inlet/outlet pressure | Control: Signal, positioner, feedback and required fail action

[Choose size and view product details](#)



Hygienic Non-Return / Check Valves

Hygienic process component for food, beverage and dairy line enquiries. Match the connection standard, measured tube diameter and cleaning conditions.

Connection: Specify hygienic connection standard | Seals: EPDM / FKM / PTFE requests; compatibility to be checked

[Choose size and view product details](#)



Hygienic Diaphragm Valves

Hygienic process component for food, beverage and dairy line enquiries. Match the connection standard, measured tube diameter and cleaning conditions.

Connection: Specify hygienic connection standard | Seals: EPDM / FKM / PTFE requests; compatibility to be checked

[Choose size and view product details](#)



Hygienic Ball Valves

Hygienic process component for food, beverage and dairy line enquiries. Match the connection standard, measured tube diameter and cleaning conditions.

Connection: Specify hygienic connection standard | Seals: EPDM / FKM / PTFE requests; compatibility to be checked

[Choose size and view product details](#)

Valves, Actuation & Steam

Product ranges 17-18 of 18



Three-Piece Stainless Steel Ball Valves

Full-bore ball valve enquiry for process isolation. Pressure-temperature capability and seat compatibility must be confirmed for the exact valve model.

Bore: Full bore design listed | Body: Stainless steel; required grade to enquiry

[Choose size and view product details](#)



Flanged Stainless Steel Ball Valves

Full-bore ball valve enquiry for process isolation. Pressure-temperature capability and seat compatibility must be confirmed for the exact valve model.

Bore: Full bore design listed | Body: Stainless steel; required grade to enquiry

[Choose size and view product details](#)

Pumps, Seals & Fluid Handling

Product ranges 1-1 of 1



Pumps & Mechanical Seals

Process, utility, dosing and effluent pump enquiries, including replacement mechanical seals and pump-specific spares.

Pump duty: Liquid, flow, head and temperature | Identification: Manufacturer and model

[Choose size and view product details](#)

Sensors & Industrial Electrical

Product ranges 1-3 of 3



Sensors & Electrical Controls

Sensors, instruments, contactors and protection devices sourced by complete reference and electrical specification.

Reference: Manufacturer and full part number | Electrical: Supply, output and connection

[Choose size and view product details](#)



Industrial Pressure Gauges

Industrial replacement and sourcing enquiries by the exact reference or complete dimensions. Our team can help identify the item from clear photographs.

Selection: Part reference, dimensions and application | Supply: Exact replacement or alternative for approval

[Choose size and view product details](#)



Boiler Level Transmitters & Probes

Industrial replacement and sourcing enquiries by the exact reference or complete dimensions. Our team can help identify the item from clear photographs.

Selection: Part reference, dimensions and application | Supply: Exact replacement or alternative for approval

[Choose size and view product details](#)

Pneumatics & Compressed Air

Product ranges 1-1 of 1



Pneumatic Cylinders, Valves & Fittings

Pneumatic components matched to the existing circuit, mounting and operating requirements.

Cylinder: Bore, stroke, mounting and action | Valve: Function, ports and coil voltage

[Choose size and view product details](#)

Fasteners & Maintenance Supplies

Product ranges 1-4 of 12



Stainless Fasteners & Springs

Fasteners, clamps and custom-component enquiries for maintenance and production equipment.

Fasteners: Thread, length, grade and head type | Springs: Drawing, dimensions and material

[Choose size and view product details](#)



Stainless Steel Bolts & Set Screws

Fastener sourcing by thread, length, material and strength designation. Provide inside dimensions for U-bolts and the complete grade where specified.

Thread systems: Metric / UNC / UNF | Material families: A2 / A4; 304 / 316

[Choose size and view product details](#)



Stainless Steel Nuts

Fastener sourcing by thread, length, material and strength designation. Provide inside dimensions for U-bolts and the complete grade where specified.

Thread systems: Metric / UNC / UNF | Material families: A2 / A4; 304 / 316

[Choose size and view product details](#)



Stainless Steel Threaded Rod

Fastener sourcing by thread, length, material and strength designation. Provide inside dimensions for U-bolts and the complete grade where specified.

Thread systems: Metric / UNC / UNF | Material families: A2 / A4; 304 / 316

[Choose size and view product details](#)

Fasteners & Maintenance Supplies

Product ranges 5-8 of 12



Stainless Steel Stud Bolts

Fastener sourcing by thread, length, material and strength designation. Provide inside dimensions for U-bolts and the complete grade where specified.

Thread systems: Metric / UNC / UNF | Material families: A2 / A4; 304 / 316

[Choose size and view product details](#)



Stainless Steel U-Bolts

Fastener sourcing by thread, length, material and strength designation. Provide inside dimensions for U-bolts and the complete grade where specified.

Thread systems: Metric / UNC / UNF | Material families: A2 / A4; 304 / 316

[Choose size and view product details](#)



PTFE Ring Gaskets

Specify the exact material and application before ordering. For chemical products, request the current safety data sheet and follow the selected product instructions.

Material: Virgin PTFE | Selection: Dimensions and medium compatibility

[Choose size and view product details](#)



Non-Asbestos Full Face Gaskets

Specify the exact material and application before ordering. For chemical products, request the current safety data sheet and follow the selected product instructions.

Material: Non-asbestos fibre; exact compound to be confirmed | Selection: Dimensions and medium compatibility

[Choose size and view product details](#)

Fasteners & Maintenance Supplies

Product ranges 9-12 of 12




Stainless Steel Pickling Paste

Specify the exact material and application before ordering. For chemical products, request the current safety data sheet and follow the selected product instructions.

Material: Stainless steel surface-treatment paste | Selection: Pack size, stainless grade and application

[Choose size and view product details](#)




Stainless Steel TIG Filler Rods

Welding consumables selected to match the base metal and welding procedure. Specify diameter, classification and required pack weight.

Classifications listed: ER308L / ER316L / ER309L / ER347 | Supply: TIG rods or MIG wire spools as selected

[Choose size and view product details](#)



Stainless Steel MIG Welding Wire

Welding consumables selected to match the base metal and welding procedure. Specify diameter, classification and required pack weight.

Classifications listed: ER308L / ER316L / ER309L | Supply: TIG rods or MIG wire spools as selected

[Choose size and view product details](#)



PTFE / Teflon Rods & Bars

Industrial replacement and sourcing enquiries by the exact reference or complete dimensions. Our team can help identify the item from clear photographs.

Selection: Part reference, dimensions and application | Supply: Exact replacement or alternative for approval

[Choose size and view product details](#)

Specialist Machine & OEM Spares

Product ranges 1-4 of 4



Machine & OEM Spares Sourcing

A dedicated route for bottling, packaging, milling and other machine-specific spare parts that may not appear in the catalogue.

Machine: Manufacturer, model and serial number | Part: Reference or drawing position

[Choose size and view product details](#)



Bottle Washer Pockets for Bottling Lines

Industrial replacement and sourcing enquiries by the exact reference or complete dimensions. Our team can help identify the item from clear photographs.

Selection: Part reference, dimensions and application | Supply: Exact replacement or alternative for approval

[Choose size and view product details](#)



Boiler Electrode Static Seals

Industrial replacement and sourcing enquiries by the exact reference or complete dimensions. Our team can help identify the item from clear photographs.

Selection: Part reference, dimensions and application | Supply: Exact replacement or alternative for approval

[Choose size and view product details](#)



Bottle Feed Star Wheels, Scrolls & Change Parts

Machine-specific format parts for filling, capping, labelling and bottle handling. Match the component to the container and machine drawing.

Component families: Star wheels, scrolls, ploughs and inverters | Material requests: UHMWPE, acetal, stainless steel or aluminium

[Choose size and view product details](#)

Thermal Insulation & Refractory Materials

Product ranges 1-4 of 5



Ceramic Fibre Rope & Tape

Industrial replacement and sourcing enquiries by the exact reference or complete dimensions. Our team can help identify the item from clear photographs.

Selection: Part reference, dimensions and application | Supply: Exact replacement or alternative for approval

[Choose size and view product details](#)



Mineral Wool & Industrial Pipe Lagging

Industrial replacement and sourcing enquiries by the exact reference or complete dimensions. Our team can help identify the item from clear photographs.

Selection: Part reference, dimensions and application | Supply: Exact replacement or alternative for approval

[Choose size and view product details](#)



Ceramic Fibre Insulation Blanket

Thermal insulation for kiln, furnace and maintenance enquiries. Confirm fibre grade, density, service temperature and handling information for the exact supplied material.

Published piece size: 1000 x 600 x 13 mm | Reference: VT-FIBREB

[Choose size and view product details](#)



Ceramic Fibre Insulation Paper

Thermal insulation for kiln, furnace and maintenance enquiries. Confirm fibre grade, density, service temperature and handling information for the exact supplied material.

Width: 1220 mm | Thickness: 3 mm

[Choose size and view product details](#)

Thermal Insulation & Refractory Materials

Product ranges 5-5 of 5



Kiln Door Fibre Seal Kit

Thermal insulation for kiln, furnace and maintenance enquiries. Confirm fibre grade, density, service temperature and handling information for the exact supplied material.

Reference: VT-DSKIT | Contents: 4 x 1 m x 70 mm fibre blanket strips and 16 pins

[Choose size and view product details](#)